

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: W. B. Payne ✓

Serial No. 09/900,188 ✓

Filed: 07/09/01 ✓

Filed For: Ullage Meter for a Tank of Compressed Gas at Elevated Temperature

Group Art: 2856

Examiners: Hezron Williams,

R. T Frank, Helen Kwok

THE HONORABLE COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington D. C.

March 25, 2003

Santa Ana CA

FAX RECEIVED

MAR 25 2003

Dear Sir:

In response to the Detailed Actions of March 19, 2003 the following TECHNOLOGY CENTER 2800  
correction is submitted.

## IN THE CLAIMS

Claims 2 and 3 continue to be withdrawn as they had been earlier (then mistakenly  
restated in our previous amendment).

Our missing listing of Claims Status is attached.

There are no new amendments to claims.

## REMARKS

We respectfully ask whether under the procedures the examiner has had a chance to read  
our remarks submitted in January, 2003 and again in February, 2003 and our commercial  
materials presented in January, 2003. We believe they present a strong case against the  
examiner's charges of obviousness. We have had no response to them.

Our purpose in making claim changes was not to place the application in better form for  
appeal, rather, to improve the fine form of the claims in case we go forward, hopefully, to  
receive claim allowance. Can the Examiner see the changes as simple improvements, rather than  
as something aimed at a successful appeal?

Respectfully submitted,

Frank C. Price Reg. No. 29,841

